



### Specification

<b>Name</b>	:	DIVETECH II
<b>Type</b>	:	Dive Boat (Mono Hull)
<b>Owner</b>	:	Divetech Marine Engineering Services
<b>Registration</b>	:	4708368
<b>Builder</b>	:	ASIZ BOAT FACTORY, DUBAI
<b>Model</b>	:	Service Boat with Wheelhouse
<b>Year Built</b>	:	2017

### General Characteristics

<b>Length Overall as per hydrostatic calculation</b>	:	9700 mm – 31.82 ft
<b>Breadth Overall (moulded)</b>	:	3170 mm – 10.40 ft
<b>Length Inside</b>	:	7900 mm – 25.91 ft
<b>Width Inside</b>	:	2170 mm – 7.11 ft
<b>Tube Diameter</b>	:	550 mm – 1.80 ft
<b>Breath from base line to maximum Tube</b>	:	1630 mm – 5.34 ft



### **Hull and Deck**

- “V” Shaped Laminated GRP ASIZ Reverse chine’s hull
- Extra reinforced fiber glass for the Hull & Deck
- GRP Deck with Non-skid texture
- GRP Colour “RED”
- Built-in Cavity for Fuel Tank and Under Deck Dry Storage
- Anchor Bulk Head with Lock and S > S Eye Nut for lacking rope
- Under Deck Cable Routing Channel
- Inboard Engine Roo.

### **Collar**

- Neoprene / Hypalon 1670 Dtex tube Filled with PE Foam
- Tube Color “RED”
- Triple Fender Strake
- Heavy Duty Neoprene Anti-slip patches all around the tube
- Safety Grab rope (Straight line rope)
- Molded handles
- Paddle Attachment Strips
- Collar Repair Kit
- ASIS Logos

### **Cabin**

- ASIS Aluminum Wheel House/Cabin Seating
- ASIS Single Straddle Seat With S.S Side Handles

### **Equipment**

- S.S Bow Eyes 1 no. (forward towing point)
- S.S heavy duty S.S Transom tie-downs 2 no. (Aft Mooring Points)
- GRP Stern Drive Protection Guard
- Reinforced Under Deck Hatch LID
- S.S Heavy Duty mooring forward bollard

### **Hoisting**

- S.S Heavy Duty Lifting Points (2 No. at Transom & 2 No. at Front)
- Bilge Pumping / Draining
- High-Capacity Deck Self Drains 2 no.
- Hull Drains 1 No.
- Self-draining anchor locker with anchor mounting bit
- Electrical Bilge Pump 2 no. With Float Switch

### **Fuel System**

- 1x S.S Built-in S.S Fuel tank 300L with Sender Unit, Fuel Gauges and Fuel & Water Separators
- Fuel Fillers station at bow
- Fuel Sender Access Hatch on Lid

### **Electrical**

- 12 VDC Electrical System
- Optima / Equivalent starting marine Battery with Battery Trey, Selector / Isolate
- Switches and Vents
- Switch Panel
- LED Anchor lights
- Navigation LED lights in accordance with CE Standard
- Search Light with Joystick Switch Panel (On A Frame)
- 12V Electric Inflation collar pump

### **Standard Accessories**

- Plastic Paddles 2 No.
- Repair Kit
- Owner's Manual
- ON-Water Test Certificate

### Navigational Equipment's

- **Navigation Light** : Starboard Bow / Aft
- **Search Light** : Front side (Revolving Type)
- **Anchor Light** : Stern
- **Hand-held Lights** : 2 Nos
- **Console** : Light panel, Steering indicator

### Deck Appurtenance

- **Anchor / Rode** : 1 No
- **Mooring Lines** : 3 Nos
- **Bilge Pump** : 2 Nos
- **Fenders** : All around the hull

### Fire Fighting Equipment's

- **Fire Extinguishers CO2** : 2 Nos
- **Fire Extinguishers DCP** : 2 Nos

### Life Saving Appliances

- **Life Ring Buoy** : 4 Nos
- **Life Ring Buoy Light** : 4 Nos
- **Life Jacket** : 15 Nos
- **Orange Smoke Signal** : 4 Nos
- **Hand Flares** : 4 Nos
- **Parachute rocket** : 4 Nos
- **First Aid Kit** : 1 Set