



DIVETECH

PART OF
AD PORTS GROUP

SAFEEN DIVETECH 1 – SHIP PARTICULARS





CATEGORY	SPECIFICATION / CAPABILITY
CLASSIFICATION	Bureau Veritas I ✠ HULL • MACH • AUT-UMS
	Unrestricted Navigation
	Multi-Purpose / Special Service
DIMENSIONS	Length: 24.00 m
	Beam: 9.54 m
	Draft: 2.10 m
PROPULSION	2 × MAN D2862
	Total Power: 1324 kW
	Bow Thruster: 80 kW
PERFORMANCE	Speed: 10 knots
	Bollard Pull: 24 tons
DECK MACHINERY	Anchor Handling Winch – 50 ton
	Tugger Winch – 10 ton
	Towing Hook – 25 ton SWL
DECK CRANE	Heila HLM 25-4S Electro-Hydraulic Crane
	Net Lifting Moment: 25 ton-m
	Continuous 400° Slewing
	Lift Capacity: 8,000 kg @ 2.79 m
	Lift Capacity: 4,850 kg @ 4.93 m
	Lift Capacity: 3,350 kg @ 6.88 m
	Lift Capacity: 2,450 kg @ 8.85 m
Lift Capacity: 1,800 kg @ 10.70 m	



	Lift Capacity: 1,450 kg @ 12.62 m
	Optional Extension: 1.1T @14.7 m
	Optional Extension: 0.65T @ 16.78 m
	Electro-Hydraulic Operation
POWER SYSTEMS	2 × Generator Sets
	Total Electrical Power: 254 kW
	Hydraulic Power Pack: 2 × 75 kW
DECK CAPABILITY	Reinforced Azobé Deck
	Push & Side Fendering
OPERATIONAL FUNCTIONS	Deployment of sea anchors & buoys
	Floating barrier installation
	Environmental monitoring patrols
	Diving support operations
	ROV deployment support
	Wildlife rescue support
	Mechanical debris removal
	Emergency equipment deployment
ACCOMMODATION	5-person facility

